

# SINOVA

## Product Manual

---

Sinova is founded by diversified OE parts manufactures with proven quality and exclusively certified by All Parts Care.

Sinova is available in over 37 categories, and on average cover more than 85% of Japanese, Korean, American and European vehicles.

Sinova provides best-in-class supply chain and connects with over 5,000 service centers in twelve countries.



# CATALOGUE

Focus On Car Maintenance Products

## 1 Lubricant

- Engine Oil
- Transmission Oil
- Brake Fluid
- Coolant
- Fluid & Grease

## 2 Car Care

- Engine& Fuel System
- Cooling System
- Air Conditioner System
- Transmission System
- Steering System
- Brake System
- Car Exterior
- Others

# SINOVA

## Oil & Grease

- Engine oil
- Transmission oil
- Brake fluid
- Coolant
- Fluid & Grease



# ENGINE OIL



## PRODUCT INTRODUCTION

Two Styles

### For US& Aisan Type Engine:

The unique formula ensures good engine lubrication while effectively reducing the coefficient of friction, Which significantly improves fuel efficiency and saves you money on fuel. The semi-synthetic nature gives it a good price/performance ratio, Which can meet your requirements for oil quality without putting too much pressure on your wallet.

### For European Type Engine:

Long-term performance eliminates the need for frequent oil changes, Saving maintenance costs and time. Even in difficult driving conditions, This oil will stay on the job to protect your engine.

## For US& Aisan Type Engine

9 kinds of SP Fully& Semi synthetic oil are deciated for US& Asian type engine, Which meet API& ILSAC standard and some OEM approval.

Type	API	SAE	ILSAC
full-synthetic	SP	0W20	GF-6A
full-synthetic	SP	5W30	GF-6A
full-synthetic	SP	10W30	GF-6A
full-synthetic	SP	5W40	
semi-synthetic	SP	0W20	GF-6A
semi-synthetic	SP	5W20	GF-6A
semi-synthetic	SP	10W30	GF-6A
semi-synthetic	SP	10W40	
semi-synthetic	SP	20W50	

**Net: 1L, 4L, 5L**

## For European Type Engine

5 kinds of SP Fully synthetic oil are deciated for Euro-type engine, Which meet ACEA standard and some OEM approval.

SAE	ACEA
0W20	C5
0W30	C3/C2
0W40	C3
5W30	C3
5W40	A3B4

**Net: 1L, 4L, 5L**

## TRANSMISSION OIL



### ATF

4 kinds of fully synthetic ATF are suitable for 5AT, 6AT, 7AT, 9AT respectively, Which is also to meet the following needs in term of DEXRON& Mercon standard, And OEM requirement.

**Net: 1L**



### DCTF

One general fully synthetic DCTF, Which meets requirement of wet dual-clutch transmission, Suitable for the maintenance of wet dual-clutch transmissions equipped with Audi, Volkswagen, Ford, Volvo and other brand models.

**Net: 1L**



### CVTF

One multi-purpose fully synthetic CVTF ,which meet Toyota TC、 Honda HMMF、 Nissan NS-2 &NS-3.

**Net : 1L**



### MT

3 kinds of gear oil to meet the msot demand of the manual transmission box& rear bridge.

Mineral	GL-5	85W140
Mineral	GL-5	80W90
Full-synthetic	GL-4	75W90

**Net : 1L, 4L**

## BRAKE FLUID



### DOT3

Equilibrate the reflux boiling point  $\geq 220^{\circ}\text{C}$ ,  
Wet equilibrium reflux boiling point  $\geq 150^{\circ}\text{C}$   
Conforms GB12981 HZY3, FMVSS NO.  
116 DOT3 standard, JISK 2233- 1995,  
SAE J1703.,etc.

**Net: 250mL, 355mL, 1L**



### DOT4

Equilibrate the reflux boiling point  $\geq 255^{\circ}\text{C}$ ,  
Wet equilibrium reflux boiling point  $\geq 160^{\circ}\text{C}$   
Conforms to GB12981 HZY4,  
FMVSS NO.116DOT4 standard,  
JSK 2233-1995,  
SAE J1704 and other standards.

**Net:250mL, 355mL, 1L**



### DOT5.1

Fits for high-performance vehicles and  
special-purpose vehicles, Esp.  
In extreme temperatures or/and in  
humid or rainy areas.

**Net: 1L**

## COOLANT



### Coolant

3 kinds coolants with  $-15^{\circ}\text{C}$ ,  $-25^{\circ}\text{C}$  &  $-35^{\circ}\text{C}$  freeze point individually.  
All-organic OAT type meets GB29743 and ASTM D3306& D4985,  
SAE J1034, JIS K2234, GJB6027 and other standards.  
Compatibility with non-metallic material parts such as rubber.  
Long service life is 6 years or 200,000 km.

**Net: 1L, 4L**



## FLUID&GREASE



### Power Steering Fluid

One red transparent liquid, Which is blended by Hydro-refined base oil and viscosity index agent with low shear index. It has excellent performance in low temperature performance, Shear resistance, Friction characteristics and compatibility of sealing materials.

**Net: 1L**

### Multi Purpose Grease

Multi-Purpose lithium based grease with NLGI-2, Anti Extra Pressure character.


**Net: 350g, 1Kg, 15Kg**



# SINOVA



- Engine& Fuel System
- Cooling System
- Air Conditioner System
- Transmission System
- Steering System
- Brake System
- Car Body
- Car Shampoo
- Electricity



# CAR CARE

## ENGINE&FUEL SYSTEM



### Engine Restorer (Enhancer/ Recovery)

Be added directly to the engine oil to enhance engine Performance, decrease the consumption of engine oil, Facilitates peak performance in older, Well-used engines, And plugs areas of the cylinder walls that are worn out and susceptible to microscopic leaks.

**Net:125mL**



### Engine Flush

Be added directly to the engine oil to help to loosen deposits, Remove dirt, and return the engine to like-new condition.

**Net:125mL**



### Fuel Booster For Gasoline

Improves combustion efficiency and cleans the combustion chamber& injector.

**Net: 125mL**



### Fuel system/Air Intake/ Fuel injector cleaner kit

Fuel system cleaner is to clean harmful deposits & carbon from fuel system.

Air intake cleaner is to reduce intake valve deposits, To dissolves gum, Carbon, Soil & Resin.

Fuel injector cleaner is to eliminate deposits and regenerate the injector system.

**Net: 325mL**

## ENGINE & FUEL SYSTEM



### Wiring Harness Protectant

Forms a protective film to isolate moisture and avoid oxidation. Delays the aging and cracking of rubber and plastic pipe fittings, And prevents leakage caused by aging of wiring harnesses. Increases the safety of the wiring harness due to high voltage resistance and insulation and easy to clean.

**Net: 450mL**



### Three-Way Catalytic (TWC) Converter Cleaner

Cleans the sulfur and phosphorus complexes, Carbon deposits and other adsorbents attached to the surface of the TWC, And restores TWC activity. Dredges the exhaust pipe, and restores vehicle power. Extends the service life of TWC and oxygen sensors.

**Net: 450mL**



### Engine Surface Cleaner

Rapidly removes oil stain, Dirt and dust on engine surfaces quickly. Be with strong penetration and emulsifying decomposition and no damage.

**Net: 360g**



### Treatment kit for low-Speed Pre-Ignition (LSPI)

Reduces LSPI effect on Small-displacement turbocharged engine.

**Net: 350mL**

## COOLING SYSTEM



### Cooling system cleaner

---

Cleans the interior by activating and decomposing incrustation, avoiding blocking and boiling because of incrustation.

Avoids engine overheated and extends the life of cooling system without any harm.

**Net: 235mL**



### Cooling system protector

---

Forms protective film on the metal surface, prevents incrustation.

Prevents corrosion of metal parts and aging of rubber parts, and prolong the service life of water tanks and hoses.

Lubricates the water pump and thermostat to prolong its service life.

**Net: 235mL**



### Cooling System Leak Stop

---

Prevents leakage in the cooling system for water tank, warms wind radiator, Cylinder, Water pump, Water seal and cylinder liner etc.

**Net: 235mL**

# SINOVA

A I R C O N D I T I O N E R S Y S T E M



## Compressor Oil

Poly ether (PAG) base oil with effective additive system to ensure the stable and long-life operation of automotive air conditioning compressors, Suitable for automotive air conditioning compressors, Especially systems using refrigerants such as R134a.

Net: 70g, 250mL



### A/C Enhancer- Cool Shot

Lifts the lubrication performance of the lubricant in the compressor and extends its service life. Reduces the compressor working noise & the maintenance cost of the system equipment. Reduces carbon dioxide emissions & is suitable for all kinds of air-conditioning cooling system.

Net: 30mL



### A/C Leakage Repair- Leak Stop

Restores the elasticity of the seal & prevents or reduces chronic leakage caused by tiny pores. Reduces the maintenance cost of system equipment & be compatibility with various refrigerants; Is suitable for all kinds of air-conditioning refrigeration systems.

Net: 30mL

## AIR CONDITIONER SYSTEM



### A/C Cleaner

Cleaner to clean A/C system and help to improve cooling efficiency.

Net: 250mL



### Sanitize Cleaner

Sanitizer to sterilize & deodorize A/C, Kill bacteria & germs.

Net: 450mL



**SINOVA**

## Deodorizer Cleaner

Deodorizer is odor neutralizer and remove light dirt in ductwork and vent surface.

Net: 450mL



## TRANSMISSION SYSTEM



### Transmission System Cleaner

Cleans the gum, Sludge, Varnish, etc.  
In the automatic transmission box.  
Prevents the valve body and solenoid valve from getting stuck to ensure smoothness of operation.  
Removes the acidic substances, And delays the aging and deformation of the oil seal.

**Net: 155mL**



### Transmission System Protector

Inhibits the generation of sludge, gum and other deposits, Avoids precision parts is stuck and improves the smoothness of shifting.  
Prolongs the service life of transmission box and reduces maintenance cost.

**Net: 155mL**



### Belt Anti-Slip Synergist

Reduces slippage and is suitable for all drive belts and increases belt life.  
Assists to reduce energy costs and with high adhesion prevents throw off and resistant to oxidation reduce LSPI effect.

**Net: 450mL**



### Belt Sound Dampening Protectant

Is applied to hard surfaces to reduce vibrations and the transmission of sound.

**Net: 450mL**

# AUTOMOBILE STEERING



## STEERING SYSTEM



### Steering System Protector

Lubricates the mechanical parts inside and improves operational sensitivity and smoothness.

Improves the performance of power steering oil, Prevents acidification and corrosion, and prolongs oil's life.

Slow down the corrosion and wear of internal parts, And prolongs the service life of the steering system.

**Net: 155mL**



### Steering System Cleaner

Cleans the sludge, Gum and other deposits inside.

Restores mechanical parts and improves the sensitivity and smoothness of steering operation, and avoid over steering or over steering.

No damage to all components of the hydraulic steering system.

**Net: 155mL**

## BRAKE SYSTEM



### Aerosol Brake Cleaner

Helps brake pad heat dissipation, prolongs the service life of brake parts.  
 Avoids overheating of brake oil, Maintains stable performance of brake oil, And ensures driving safety.  
 Fills the gap between brake pad and heat dissipation steel sheet to eliminate the abnormal sound caused by loose heat dissipation steel sheet.

**Net: 257g**



### Brake Wheel Hublubrication Rust Inhibitor

Prevents hub positioning ring root rust,  
 Ensures easy to remove the tire.  
 Avoids accidents in the process of tire disassembly.

**Net: 250mL**



### Brake Pump Guide Pins Grease

Be added directly to the engine oil to help to loosen deposits, Remove dirt, And return the engine to like-new condition

**Net: 10g**



### Brake Pad Heat Dissipation Protector

Helps brake pad heat dissipation, prolongs the service life of brake parts.  
 Avoids overheating of brake oil, maintains stable performance of brake oil, and ensures driving safety.  
 Fills the gap between brake pad and heat dissipation steel sheet to eliminate the abnormal sound caused by loose heat dissipation steel sheet.

**Net: 250mL**

## CAR EXTERIOR



### Car Shampoo

General car shampoo & 1:100 concentrate. Quickly removes the body dust, Oil, Shellac, Gum, bird droppings and other dirt. Deeply nourishes the car paint surface, so that the car body is clean and smooth. Its concentrated formula can save time and effort, do not hurt the car paint and hurt hands.

**Net: 20L**



### Touchless Car Shampoo

Quickly penetrates and decomposes the surface of the body stubborn stains, such as soil, oil, etc., without scrubbing hard to remove. High bubble concentration, quick wetting paint, the paint of oil, soil quick decomposition, mild formula, not hurt car paint, improve store construction efficiency, save operating costs for stores.

**Net: 20L**



### Windshield Washer & Concentrate

Is used for daily cleaning of automobile windshields (windshields, rear mirrors and interior mirrors). Its surfactant can effectively repel dirt, oil film, shellac, rain stains, etc. on the glass, and prevent the adhesion of oil stains. Its concentrate can be diluted for usage with 1:100 dilution ratio.

**Net: 120mL, 1L, 20L**



### Wipe-Off Car Shampoo

Quickly penetrates and decomposes the surface of the body stubborn stains, such as soil, oil, etc., without scrubbing hard to remove, high bubble concentration, quick wetting paint, the paint of oil, soil quick decomposition, mild formula, not hurt car paint, improve store construction efficiency, save operating costs for stores.

**Net: 18L**



**Others**

## OTHERS



### Chassis armor coating

Prevents corrosion of chassis metal parts by acids, alkalis, salts, etc.  
 Avoids damage to the vehicle chassis caused by slight drag bottoming.  
 Protects the sand and gravel on the chassis, reduces the conduction of noise during driving, no pungent odor.

Net: 450mL



### Battery pile head protector

Improve electrical contact efficiency.  
 Ensure contact with piles and conductees is most guaranteed  
 Increased battery life, corrosion resistance and pile head salting.

Net: 255mL

# SINOVA

**SUITABLE FOR AUTOMOBILE CHASSIS  
 AND AUTOMOBILE BATTERY SYSTEM**



# OTHERS



## Silicon spray

Preserves and protects rubber moldings, weather strips, Grommets, o-rings, Rubber seals, dashboards, Door moldings, plastic parts, and mountings. Is used to waterproof and protect metal, Rubber, plastic, Wood, glass, Leather, vinyl, Fabrics, And painted surfaces. Creates a thin film on the surface that protects it from UV rays and other factors.

**Net: 220g**



## Aerosol White Lithium Grease

Is designed particularly for applications requiring extreme water resistance. Provides long-lasting lubrication for all metal-to-metal applications and will not splatter, Melt, Run, Wash off or freeze.

**Net: 220g**



## Carburetor

Removes gum, sludge, paint film and other deposits on various workpieces, which can be restored to good condition and improve maintenance efficiency due to rapid removal of impurities and quick drying character.

**Net: 368g**



## De-Dust Lubricating Spray

Acts as 3 roles- penetrant, Cleaner and lubricant. Is a penetrant& cleaner to cut through layers of rust, dirt and help to clean and remove most oils, Grease, Tar, Adhesive and dry rust and others. Is a general light lubrication in automotive.

**Net: 368g**

SINOVA

# CAR BODY

## OTHERS



### Rubber And Plastic Cleaner& Protectant

Enhances shine and protects vinyl, Rubber and plastic surfaces against harmful UV solar rays.

Creates the perfect new appearance on interior and exterior surfaces, Its specialty UV blockers act like sunscreen for sensitive car parts.

**Net: 120mL**



### Tyre Mounting Paste

A white paste prevents the tire and rim sliding, And forms a delicate protective film on the tire surface, To maximize the protection of the tire.

**Net: 1Kg, 5Kg**



Rubber And Plastic Cleaner& Protective  
Tyre Mounting Paste

# SINOVA



## Trust, Fast and Transparent

All Parts Care continues to drive sales for customers.  
Sign up to be a distributor for PartsGo.